

L Number	Hits	Search Text	DB	Time stamp
3	14	((("6339785") or ("6055568") or ("6487555") or ("6006248") or ("6219705") or ("6594662") or ("6502131")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/07 17:31
4	2	20020059429.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/07 17:33
5	2	20020027567.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/07 17:34
-	2	("6055568").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 14:04
-	1	"5495426".PN.	USPAT	2003/08/07 13:55
-	1	"5099235".PN.	USPAT	2003/08/07 13:55
-	1	"5031089".PN.	USPAT	2003/08/07 13:57
-	0	((("peer-to-peerordecentraliz\$5orde-centraliz\$5orcomputeradjnetworks\$1near2") or ("search\$3orqueryorqueriesorrequest"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 14:28
-	6	((peer-to-peer or decentraliz\$5 or de-centraliz\$5) adj (computer adj networks)) near4 (search\$3 or query or queries or request\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 14:43
-	10	((peer-to-peer or decentraliz\$5 or de-centraliz\$5) adj (computer adj networks)) with (search\$3 or query or queries or request\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 15:16
-	4	"6055568"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 17:11
-	12	determin\$3 adj2 host near3 search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 17:13
-	0	(geographical adj location) with host with (select\$4 with search\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 17:15
-	13	(location) with host with (select\$4 with search\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 17:16
-	34	peer-to-peer same select\$3 near3 (host or URL or link or page or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/07 17:28
-	15	(peer-to-peer same select\$3 near3 (host or URL or link or page or server)) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	

-	0	(select\$3 near3 host near4 geographic\$5) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 17:30
-	0	(select\$3 near3 host near4 geographic\$5) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 17:30
-	2	(select\$3 near3 host with geographic\$5) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 17:37
-	1	peer-to-peer same monitor\$3 same search\$3 and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 17:37
-	126	peer-to-peer same monitor\$3 and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/07 17:38
-	5	((peer-to-peer or decentraliz\$5 or de-centralize) adj (computer adj networks)) near2 (search\$3 or query or queries or request\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/18 09:56
-	2	((peer-to-peer or decentraliz\$5 or de-centralize) near2 (client or user or requestor) near3 (connect\$3)) with (search\$3 or query or queries or request\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 16:38
-	17	((peer-to-peer or decentraliz\$5 or de-centralize) with (client or user or requestor) near3 (connect\$3)) with (search\$3 or query or queries or request\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 17:30
-	2	((peer-to-peer or decentraliz\$5 or de-centralize) with (client or user or requestor) near3 (connect\$3)) with (search\$3 or query or queries or request\$3)) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 16:39
-	0	((peer-to-peer or decentraliz\$5 or de-centralize)) with (optimal near4 (search\$3 or query or queries or request\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 17:31
-	1	((peer-to-peer or decentraliz\$5 or de-centralize)) same (optimal near4 (search\$3 or query or queries or request\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 18:15
-	1	((peer-to-peer or decentraliz\$5 or de-centralize)) same (optimal near6 (search\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 17:35
-	29	((peer-to-peer or decentraliz\$5 or de-centralize)) and (optimal near6 (search\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 17:37
-	12	((peer-to-peer or decentraliz\$5 or de-centralize)) and (optimal near6 (search\$3))) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 17:59

-	351	(host or (peer adj node)) near3 (select\$3 or search\$3) with ((geographic\$3 or physical\$3 or location)) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 18:15
-	1	(host or (peer adj node)) near3 (select\$3 or search\$3) with ((geographic\$3 or physical\$3) near3 location) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 18:03
-	0	(host or (peer adj node)) near3 (select\$3 or search\$3) with ((geographic\$3 or physical\$3) near3 location) and @ad<2000081110 and (optimal adj search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 18:03
-	0	((host or (peer adj node)) near3 (select\$3 or search\$3) with ((geographic\$3 or physical\$3 or location)) and @ad<20000811) and (optimal adj search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 18:03
-	35	((host or (peer adj node)) near3 (select\$3 or search\$3) with ((geographic\$3 or physical\$3 or location)) and @ad<20000811) and 709/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 18:04
-	0	((peer-to-peer or decentraliz\$5 or de-centralize)) with (geographic\$5 near2 location) with ((server or URL or host) with select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 18:20
-	5	(geographic\$5 near2 location) with ((server or URL or host) with select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 18:20
-	73	(geographic\$5 near5 (server or URL or host) near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 18:21
-	21	((geographic\$5 near5 (server or URL or host) near5 select\$3)) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 18:25
-	51	search\$3 near5 peer-to-peer near3 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 18:26
-	3	(search\$3 near5 peer-to-peer near3 network) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 18:32
-	0	(collect\$3 adj (data or information) near3 ((number or plurality) near3 (computer or host or node\$1! or server)) near3 (network adj location)) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 18:36
-	0	(collect\$3 near3 (data or information) near3 ((number or plurality) near3 (computer or host or node\$1! or server)) near3 (network adj location)) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 18:36
-	0	(collect\$3 near3 (data or information) near3 ((number or plurality) near3 (computer\$1! or host\$1! or node\$1! or server\$1!))) near3 (network adj location)) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 18:37

-	0	(collect\$3 near3 (data or information) with ((number or plurality) near3 (computer\$1! or host\$1! or node\$1! or server\$1!)) with (network adj location)) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/20 18:38
-	7	(collect\$3 near3 (data or information) with (network adj location)) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/20 18:38
-	0	(collect\$3 with (network adj (location or address\$2!))) same (select\$3 near3 (host\$1! or computer\$1! or node\$1!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/21 10:18
-	0	(collect\$3 with (network adj (location or address\$2!))) same (select\$3 near5 (host\$1! or computer\$1! or node\$1!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/21 10:00
-	47	((gather\$3 or collect\$3 or receiv\$3) with (network adj (location or address\$2!))) same (select\$3 near5 (host\$1! or computer\$1! or node\$1!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/21 10:01
-	28	((gather\$3 or collect\$3 or receiv\$3) with (network adj (location or address\$2!))) same (select\$3 near5 (host\$1! or computer\$1! or node\$1!)) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/21 10:02
-	61	(collect\$3 near3 (network adj (location or address\$2!)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/21 10:33
-	33	((collect\$3 near3 (network adj (location or address\$2!)))) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/21 11:06
-	2	("6487555").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/21 11:06
-	0	("determin\$3adjoptimaladjhostnear3search\$3").PN	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 12:02
-	0	determin\$3 adj optimal adj host near3 search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 12:03
-	0	optimal adj host near3 search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 12:04
-	0	optimal adj host with search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 12:04
-	0	optimal adj host\$1 with search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/28 12:17

-	5	peer-to-peer with host\$1 near3 search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 13:42
-	7	peer-to-peer same host\$1 near3 search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 16:24
-	3	search\$3 adj2 peer-to-peer adj computer adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 16:27
-	3	search\$3 near4 peer-to-peer adj computer adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 16:27
-	9	search\$3 with peer-to-peer adj computer adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 17:24
-	74	search\$3 near4 peer-to-peer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 17:53
-	1	(search\$3 near4 peer-to-peer) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 17:25
-	0	search\$3 near4 peer adj to adj peer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 17:53
-	0	search\$3 near4 (peer adj to adj peer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 18:10
-	44	search\$3 near4 (peer adj peer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 18:11
-	2	(search\$3 near4 (peer adj peer)) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 18:11
-	2919	(determin\$3 or discover\$3 or learn\$3 or ascertain\$3) near5 (host\$1! or computer\$3 or server\$1! or resource\$1!) with search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/04 12:53
-	0	(determin\$3 or discover\$3 or learn\$3 or ascertain\$3) near5 (optimal) adj (host\$1! or computer\$3 or server\$1! or resource\$1!) with search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/04 12:14
-	8	(determin\$3 or discover\$3 or learn\$3 or ascertain\$3) near5 (optimal) near4 (host\$1! or computer\$3 or server\$1! or resource\$1!) with search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/04 12:16

-	662	((determin\$3 or discover\$3 or learn\$3 or ascertain\$3) near5 (host\$1! or computer\$3 or server\$1! or resource\$1!) with search\$3) and (709/(203,223,224,217,219,226).ccls or (707/10).ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:50
-	662	((determin\$3 or discover\$3 or learn\$3 or ascertain\$3) near5 (host\$1! or computer\$3 or server\$1! or resource\$1!) with search\$3) and (709/(105,203,223,224,217,219,226).ccls or (707/10).ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:19
-	12	((determin\$3 or discover\$3 or learn\$3 or ascertain\$3) near5 (host\$1! or computer\$3 or server\$1! or resource\$1!) with search\$3) and (709/(105,203,223,224,217,219,226).ccls or (707/10).ccls)) and (scor\$3 same rank\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:51
-	578	((determin\$3 or discover\$3 or learn\$3 or ascertain\$3) near5 (host\$1! or computer\$3 or server\$1! or resource\$1!) with search\$3) and (709/(229,238-240).ccls)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:53
-	3	((determin\$3 or discover\$3 or learn\$3 or ascertain\$3) near5 (host\$1! or computer\$3 or server\$1! or resource\$1!) with search\$3) and (709/(229,238-240).ccls)) and (scor\$3 same rank\$3) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:52
-	578	((determin\$3 or discover\$3 or learn\$3 or ascertain\$3) near5 (host\$1! or computer\$3 or server\$1! or resource\$1!) with search\$3) and (((determin\$3 or discover\$3 or learn\$3 or ascertain\$3) near5 (host\$1! or computer\$3 or server\$1! or resource\$1!) with search\$3) and (709/(229,238-240).ccls))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:55
-	305	((determin\$3 or discover\$3 or learn\$3 or ascertain\$3) near5 (host\$1! or computer\$3 or server\$1! or resource\$1!) with search\$3) and (((determin\$3 or discover\$3 or learn\$3 or ascertain\$3) near5 (host\$1! or computer\$3 or server\$1! or resource\$1!) with search\$3) and (709/(229,238-240).ccls))) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:15
-	4	((determin\$3 or discover\$3 or learn\$3 or ascertain\$3) near5 (host\$1! or computer\$3 or server\$1! or resource\$1!) with search\$3) and (((determin\$3 or discover\$3 or learn\$3 or ascertain\$3) near5 (host\$1! or computer\$3 or server\$1! or resource\$1!) with search\$3) and (709/(229,238-240).ccls))) and @ad<20000811 and 709/105.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:30
-	4	709/105.ccls. and ((rout\$3 or forward\$3) adj3 (query or request) adj4 ((select\$3 or allocat\$3) adj (computer or server or host)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 14:56
-	38	((rout\$3 or forward\$3) adj3 (query or request) adj4 ((select\$3 or allocat\$3) adj (computer or server or host)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:02
-	0	((rout\$3 or forward\$3) adj3 (query or request) adj4 ((select\$3 or allocat\$3) adj (computer or server or host))) and output\$4 adj2 (network adj location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:03
-	4	output\$4 adj2 (network adj location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 10:15
-	2	("6055568").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/05 15:58

-	3600	amount adj content	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:59
-	45	amount adj content adj2 available	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:21
-	0	frequency adj3 computer adj3 connect\$4 adj3 network\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:23
-	3	frequency near4 computer adj3 connect\$4 adj3 network\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:50
-	9289	(rank\$3 or scor\$3 or weight\$3) near3 (computer\$1! or host\$1! or server\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 17:52
-	23	((determin\$3 or discover\$3 or learn\$3 or ascertain\$3) near5 (host\$1! or computer\$3 or server\$1! or resource\$1!) with search\$3) and (709/(203,223,224,217,219,226).ccls or (707/10).ccls) and ((rank\$3 or scor\$3 or weight\$3) near3 (computer\$1! or host\$1! or server\$1!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 18:52
-	375	monitor\$3 near4 (data adj exchang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:01
-	2	weight\$3 adj3 score with rank\$3 near4 (computer\$1! or host\$1! or server\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:04
-	4	weight\$3 adj3 score with rank\$3 with (computer\$1! or host\$1! or server\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:05
-	494	high\$3 adj rank\$3 with (computer\$1! or host\$1! or server\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:06
-	209	high\$3 adj rank\$3 adj3 (computer\$1! or host\$1! or server\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:07
-	172	(high\$3 adj rank\$3 adj3 (computer\$1! or host\$1! or server\$1!)) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:19
-	2	rank\$3 adj3 plurality adj3 computers and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:20
-	4	rank\$3 adj3 plurality adj3 (computer\$1 or host\$1! or server\$1!) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 19:20

-	2	20030065763.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/07 17:33
-	3388	metrics with (first ner4 (interval or period or time) with second)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 15:59
-	71	metrics with (first ner4 (interval or period or time) with second) with (servers or hubs or hosts)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 16:02
-	7	(metrics with (first ner4 (interval or period or time) with second) with (servers or hubs or hosts)) and (different near4 interval\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 16:06
-	3	collect\$3 adj data near4 (different near3 interval\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 16:07
-	14	collect\$3 adj data with (different near3 interval\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 16:08
-	35	collect\$3 adj data same (different near3 interval\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 16:08
-	469	collect\$3 same (different near3 interval\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 16:09
-	6	(collect\$3 same (different near3 interval\$1!)) and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/05 16:09
-	214	cach\$3 with (previous adj2 request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/07 13:59
-	123	(cach\$3 with (previous adj2 request)) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/07 13:57
-	0	cach\$3 with based adj on near4 (previous adj2 request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/07 13:59
-	4	cach\$3 with based near4 (previous adj2 request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/07 14:26
-	2	cach\$3 with based near4 (type adj2 (page or content or document or file)) and @ad<20000811	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/07 14:27

L Number	Hits	Search Text	DB	Time stamp
6	0	LABIO-WILBURT-JUAN.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/07 17:58
7	0	NGUYEN-GIAO-THANH.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/07 17:59
8	0	LIU-WINSTON-WENCHENG.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/07 17:59
9	2	MANKU-GURMEET-SINGH.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/07 18:00